

Disposable 3g - Animal Mintz

Sample ID: 2606AFL0866.3116

Internal Lab ID: ATL-36951

Client

Strain: D8- CBN- D9

Banks Distro LLC

Matrix: Concentrates & Extracts

Received: 06/05/2026

Lic. #

Type: Other

Completed: 06/12/2026

7769 95th Street South

Unit Weight: 3 g

Batch#: C1F5AM1

Cottage Grove, MN 55016



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

06/08/2026

Complete

Basic Potency - HPLC

Complete

ND	ND	98.660%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.007	0.022	ND	ND	CBN	0.007	0.022	20.965	628.95
CBDV	0.007	0.022	ND	ND	Δ 9-THC	0.007	0.022	ND	ND
CBDa	0.007	0.022	ND	ND	Δ 8-THC	0.007	0.022	77.695	2330.85
CBGa	0.007	0.022	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND
CBG	0.007	0.022	ND	ND	(6aR,9R)-d10-THC	0.008	0.024	ND	ND
CBD	0.007	0.022	ND	ND	CBC	0.007	0.022	ND	ND
THCV	0.007	0.022	ND	ND	CBCa	0.007	0.022	ND	ND
Δ 8-THCV	0.008	0.024	ND	ND	THCa	0.007	0.022	ND	ND
THCVa	0.007	0.022	ND	ND	Total			98.660	2959.80


Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 06/08/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.