

Disposable 3g - Garlatti

Sample ID: 2606AFL0866.3114

Internal Lab ID: ATL-36949

Client

Strain: D8- CBN- D9

Banks Distro LLC

Matrix: Concentrates & Extracts

Received: 06/05/2026

Lic. #

Type: Other

Completed: 06/12/2026

7769 95th Street South
Cottage Grove, MN 55016

Unit Weight: 3 g

Batch#: C1F5G1



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

06/08/2026

Complete

Basic Potency - HPLC

Complete

ND				ND				99.512%			
Total THC				Total CBD				Total Cannabinoids			
Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result		
	%	%	%	mg/unit		%	%	%	mg/unit		
CBDVa	0.007	0.022	ND	ND	CBN	0.007	0.022	21.152	634.56		
CBDV	0.007	0.022	ND	ND	Δ 9-THC	0.007	0.022	ND	ND		
CBDa	0.007	0.022	ND	ND	Δ 8-THC	0.007	0.022	78.360	2350.80		
CBGa	0.007	0.022	ND	ND	(6aR,9S)-d10-THC	0.008	0.024	ND	ND		
CBG	0.007	0.022	ND	ND	(6aR,9R)-d10-THC	0.008	0.025	ND	ND		
CBD	0.007	0.022	ND	ND	CBC	0.007	0.022	ND	ND		
THCV	0.007	0.022	ND	ND	CBCa	0.007	0.022	ND	ND		
Δ 8-THCV	0.008	0.024	ND	ND	THCa	0.007	0.022	ND	ND		
THCVa	0.007	0.022	ND	ND	Total			99.512	2985.36		

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 06/08/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT		NT		Not Tested	
Not Tested		Not Tested		Document ID:	
Document ID:		Document ID:		Foreign Matter	
Moisture Content		Water Activity			




Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.